


K05-P



Ordering dimensions in **blue**

Surface roughness	$R_{t\max}$	R_a
Sliding surface	$\leq 2,5 \mu\text{m}$	$0,1\text{--}0,5 \mu\text{m}$
Bottom of groove	$\leq 6,3 \mu\text{m}$	$\leq 1,6 \mu\text{m}$
Groove face	$\leq 15 \mu\text{m}$	$\leq 3 \mu\text{m}$

Bearing area: 50–95% and a cutting depth of $0,5 R_z$ based on $C_{ref} = 0\%$

Standard dimensions		d	L	$R_{t\max}$	C	s^*
D	H9	h10 over incl.	$+ 0,2$			
mm						
13	25	D – 8	6,0	0,4	3,5	0,33
25	50	D – 10	7,0	0,4	4,0	0,37
50	75	D – 12	8,0	0,4	4,5	0,42
75	150	D – 15	10,0	0,4	5,0	0,46
150	300	D – 20	12,0	0,4	6,0	0,54
300	500	D – 25	18,0	0,4	8,5	0,61
500	750	D – 30	20,0	0,4	10,0	0,67
750		D – 40	26,0	0,4	13,0	0,67

* Extrusion gap values shown above are valid for a temperature of 70 °C, higher temperatures require lower values.

Ordering example

Profile

D x d x L [mm]

Sealing material

Piston seal K05-P
100 x 85 x 10
ECOPUR



Operating parameters

Material Seal	Temperature		Speed ¹⁾	Pressure
	from	to	max	max
-	°C		m/s	bar (MPa)
■ ECOPUR	-30		1	
■ H-ECOPUR	-20			
■ S-ECOPUR		+110	2	25 (2,5)
■ T-ECOPUR	-50		1	
■ G-ECOPUR	-30			

IMPORTANT NOTE: The stated operating conditions represent general indications. It is recommended not to use all maximum values simultaneously.

¹⁾ Surface speed limit values are valid only in the presence of a lubrication film.